ELSEVIER

Talanta 50 (2000) 1319–1327

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 50 (2000)

No. 1 **August 1999**

Review

Speciation of arsenic and selenium compounds by HPLC hyphenated to specific detectors: a review of the main separation techniques
T. Guerin (Maisons-Alfort, France), A. Astruc and M. Astruc (Pau, France) 1

Regular papers

Industrial sludge reference material for the analysis of acid-extractable metals
S.J. Nagourney, N.J. Tummillo, Jr., J. Birri, K. Peist, B. MacDonald and J.S. Kane (Trenton, NJ, USA) 25

Determination of the cyclodextrin inclusion constant with the constant current coulometric titration method
J. Gu and J. Pan (Taiyuan, People's Republic of China) 35

Flow-injection determination of copper(II) based on its catalysis on the redox reaction of cysteine with iron(III) in the presence of 1,10-phenanthroline
N. Teshima, H. Katsumata, M. Kurihara (Tsukuba, Japan), T. Sakai (Toyota, Japan) and T. Kawashima (Tsukuba, Japan) 41

Flow-injection fluorimetric determination of vitamin K_1 based on a photochemical reaction
T. Pérez-Ruiz, C. Martínez-Lozano, V. Tomás and J. Martín (Murcia, Spain) 49

Determination of vitamin D_3 hydroxymetabolites in plasma at the sub-part per trillion levels using on-line cleanup/preconcentration and HPLC-fluorimetric post-column derivatisation
F. Ortiz Boyer, J.M. Fernández Romero, M.D. Luque de Castro and J.M. Quesada (Córdoba, Spain) 57

Determination of chloride in drinking and ground water by AlCl molecular absorption spectrometry using graphite furnace atomic absorption spectrometer
P. Parvinen (Outokumpu, Finland) and L.H.J. Lajunen (Oulu, Finland) 67

Complexation and fluorescence behavior of 9,10-bis[bis(β-hydroxyethyl)aminomethyl]anthracene
K. Kubo (Fukuoka, Japan), T. Sakurai (Yokohama, Japan) and A. Mori (Fukuoka, Japan) 73

Synergistic extraction of rare earths with bis(2,4,4-trimethyl pentyl) dithiophosphinic acid and trialkyl phosphine oxide
M.L.P. Reddy (Trivandrum, India), J.R. Bosco Bharathi (Madurai, India), S. Peter and T.R. Ramamohan (Trivandrum, India) 79

A new enzyme electrode based on ascorbate oxidase immobilized in gelatin for specific determination of L-ascorbic acid
E. Akyilmaz and E. Dinçkaya (Bornova-Izmir, Turkey) 87

Detection of ferritin in human serum with a MAP–H_2O_2–HRP voltammetric enzyme-linked immunoassay system
S. Zhang (Jiangsu, People's Republic of China), K. Jiao (Shandong, People's Republic of China), H. Chen (Jiangsu, People's Republic of China) and M. Wang (Shandong, People's Republic of China) . 95

Evaluation of phenolic assays for the detection of nitrite
J. Davis, K.J. McKeegan, M.F. Cardosi and D.H. Vaughan (Paisley, UK) 103

Extraction-chromatographic preconcentration with chromatomembrane separation of extract from aqueous phase for luminescence determination of oil products and phenols in natural water by flow injection analysis
A.L. Moskvin, L.N. Moskvin, A.V. Moszhuchin and V.V. Fomin (St. Petersburg, Russia) 113
Flow injection spectrophotometric determination of lactic acid in skimmed milk based on a photochemical reaction
E. Gómez-Álvarez, E. Luque-Pérez, A. Ríos and M. Valcárcel (Córdoba, Spain) 121
Adsorptive stripping voltammetric assay of phenazopyridine hydrochloride in biological fluids and pharmaceutical preparations
S.M. Sabry (Alexandria, Egypt) 133
Diamine oxidase and putrescine oxidase immobilized reactors in flow injection analysis: a comparison in substrate specificity
M.-A. Carsol and M. Mascini (Firenze, Italy) 141
Experimental design methodologies to optimize monobutyltin chloride determination by hydride generation gas phase molecular absorption spectrometry
J. Sanz, M. Pérez, M.T. Martínez and M. Plaza (Logroño, Spain) 149
Determination of selenium species in human urine by high performance liquid chromatography and inductively coupled plasma mass spectrometry
M.A. Quijano, A.M. Gutiérrez, M.C. Pérez-Conde and C. Cámara (Madrid, Spain) 165
The use of ozone as the primary digestion reagent for the cold vapor mercury procedure
K. Sasaki (Tokyo, Japan) and G.E. Pacey (Oxford, OH, USA) 175
Simultaneous determination of iron and ruthenium as ternary complexes by extractive second derivative spectrophotometry
M.I. Toral, P. Richter, A.E. Tapia and J. Hernández (Santiago, Chile) 183
The active and passive sampling of benzene, toluene, ethyl benzene and xylenes compounds using the inside needle capillary adsorption trap device
S. Shojania, R.D. Oleschuk, M.E. McComb, H.D. Gesser and A. Chow (Winnipeg, Canada) 193
Urinary selenium speciation by high-performance liquid chromatography–inductively coupled plasma mass spectrometry: advantages of detection with a double-focusing mass analyser with a hydride generation interface
J.M. González LaFuente, J.M. Marchante-Gayón, M.L. Fernández Sánchez and A. Sanz-Medel (Oviedo, Spain) 207
A miniaturized urea sensor based on the integration of both ammonium based urea enzyme field effect transistor and a reference field effect transistor in a single chip
A. Senillou, N. Jaffrezic-Renault, C. Martelet (Ecully, France) and S. Cosnier (Grenoble, France) . . 219
Determination of dihaloacetonitriles and halophenols in chlorinated sea water
A.-S. Allonier, M. Khalanski (Chatou, France), V. Camel and A. Bermond (Paris, France) 227

Instructions to authors 237

No. 2 **September 1999**

Regular papers
'Hidden parameters' of infrared drying for determining low water contents in instant powders
H.-D. Isengard and J.-M. Färber (Stuttgart, Germany) 239
A flow system with an electrochemical reduction cell for spectrophotometric determinations of major constituents in Fe/V alloys
A.O. Jacintho (Piracicaba, Brazil), L.F.R. Machado (São Paulo, Brazil), A.A. Menegário, I.A. Rufini and M.F. Giné (Piracicaba, Brazil) 247
Determination of transition metals in human hair by high-performance liquid chromatography using sodium hexadecane-sulfonate coated columns
A.A. Almeida, X. Jun and J.L.F.C. Lima (Porto, Portugal) 253
Micellar electrokinetic capillary chromatography as an alternative method for the determination of ethinylestradiol and levo-norgestrel
J.J. Berzas (Ciudad Real, Spain), B. Del Castillo (Madrid, Spain), G. Castañeda and M.J. Pinilla (Ciudad Real, Spain) 261

Analytical evaluation of polyunsaturated fatty acids degradation during thermal oxidation of edible oils by Fourier transform infrared spectroscopy
M.C.M. Moya Moreno (Valencia, Spain), D. Mendoza Olivares, F.J. Amézquita López (Guanajuato, Mexico), J.V. Gimeno Adelantado and F. Bosch Reig (Valencia, Spain) 269
Integrated flow injection-solid phase spectrophotometric determination of minoxidil
A. Ruiz-Medina, M.L. Fernández-de Córdova and A. Molina-Díaz (Jaén, Spain) 277
Near infrared (NIR) spectroscopy for in-line monitoring of polymer extrusion processes
T. Rohe, W. Becker, S. Kölle, N. Eisenreich and P. Eyerer (Pfinztal-Berghausen, Germany) 283
Application of FT-Raman spectroscopy to quality control in brick clays firing process
J.M. Alia (Ciudad Real, Spain), H.G.M. Edwards (Bradford, UK), F.J. Garcia-Navarro, J. Parras-Armenteros and C.J. Sanchez-Jimenez (Ciudad Real, Spain) 291
Separation of poly(ethylene glycols) into fractions by sequential liquid–liquid extraction
K. Tomaszewski, A. Szymanski and Z. Lukaszewski (Poznan, Poland) 299
Speciation of selenite and selenate using living bacteria
L.C. Robles, J.C. Feo, B. de Celis, J.M. Lumbreras, C. García-Olalla and A.J. Aller (León, Spain) . . 307
Determination of essential and potentially toxic trace elements in honey by inductively coupled plasma-based techniques
S. Caroli, G. Forte, A.L. Iamiceli and B. Galoppi (Rome, Italy) 327
Colorimetric determination of copper in aqueous samples using a flow injection system with a pre-concentration poly(ethylenimine) column
A.N. Araújo, R.C.C. Costa (Porto, Portugal) and J. Alonso-Chamarro (Bellaterra, Spain) 337
Optimisation and comparison of microwave-assisted extraction and Soxhlet extraction for the determination of polychlorinated biphenyls in soil samples using an experimental design approach
O. Zuloaga, N. Etxebarria, L.A. Fernández and J.M. Madariaga (Bilbao, Spain) 345
Optimization of some instrumental factors in diffuse reflectance infrared Fourier transform spectroscopy
B. Azambre, O. Heintz (Saint-Avold, France), M. Schneider (Metz, France), A. Krzton (Gliwice, Poland) and J.V. Weber (Saint-Avold, France) 359
Validation of a high performance liquid chromatography analysis for the determination of noradrenaline and adrenaline in human urine with an on-line sample purification
Å.M. Hansen, J. Kristiansen, J.L. Nielsen, K. Byrialsen and J.M. Christensen (Copenhagen, Denmark) 367
Use of ion-exchange chromatography coupled with TLC-laser scanning densitometry for the quantitation of fumonisin B_1
R. Karuna and R.B. Sashidhar (Hyderabad, India) 381
FT-Raman and powder XRD analysis of the $Ba(SO_4)_x(CrO_4)_{1-x}$ solid solution
J.M. Alia (Ciudad Real, Spain), H.G.M. Edwards (Bradford, UK) and F.J. Garcia-Navarro (Ciudad Real, Spain) 391
Simple and rapid determination of the drug naproxen in pharmaceutical preparations by heavy atom-induced room temperature phosphorescence
A. Segura Carretero, C. Cruces-Blanco, M.I. Ramírez García, B. Cañabate Díaz and A. Fernández Gutiérrez (Granada, Spain) 401
An optimized sampling and GC–MS analysis method for benzene in exhaled breath, as a biomarker for occupational exposure
C. Plebani, G. Tranfo, A. Salerno, A. Panebianco and A.M. Marcelloni (Monteporzio Catone, Italy) 409
Optimization of an extraction method of aroma compounds in white wine using ultrasound
D. Hernanz Vila (La Rabida, Spain), F.J. Heredia Mira (Sevilla, Spain), R. Beltran Lucena and M. Fernández Recamales (La Rabida, Spain) 413
SPME–HPLC analysis of *Allium* lacrymatory factor and thiosulfinates
B. Jaillais, F. Cadoux and J. Auger (Tours, France) 423
Trace metals analysis in estuarine and seawater by ICP-MS using on line preconcentration and matrix elimination with chelating resin
M. Nicolaï, C. Rosin (Vandœuvre-lès-Nancy, France), N. Tousset (Nancy, France) and Y. Nicolai (Nancy, France) 433

TURBISCAN MA 2000: multiple light scattering measurement for concentrated emulsion and suspension instability analysis
O. Mengual, G. Meunier, I. Cayré, K. Puech (Toulouse, France) and P. Snabre (Font-Romeu, France) 445

No. 3 **October 1999**

Regular papers
Determination of total chromium in tannery waste water by inductively coupled plasma-atomic emission spectrometry, flame atomic absorption spectrometry and UV–visible spectrophotometric methods
S. Balasubramanian and V. Pugalenthi (Chennai, India) 457
A sensitive and specific method for isoniazid determination based on selective adsorption using an isoniazid ion-selective piezoelectric sensor
S. Yao, W. Li, X. Su, X. Zuo and W. Wei (Changsha, People's Republic of China) 469
Optical fiber coupled light emitting diode based absorbance detector with a reflective flow cell
S. Jambunathan, P.K. Dasgupta (Lubbock, TX, USA), D.K. Wolcott, G.D. Marshall and D.C. Olson (Gig Harbor, WA, USA) 481
Optical sensor for sulfur dioxide based on fluorescence quenching
T.M.A. Razek, M.J. Miller (Iowa City, IA, USA), S.S.M. Hassan (Cairo, Egypt) and M.A. Arnold (Iowa City, IA, USA) 491
Poly(vinyl chloride)-based macrocyclic membrane sensors for magnesium
S. Baniwal, S. Chandra, A. Panwar and A.K. Singh (Roorkee, India) 499
Frontal analysis of aqueous phenol solutions in amberlite XAD-4 columns: Implications on the operation and design of solid phase extraction systems
L.E. Vera-Avila, J.L. Gallegos-Perez and E. Camacho-Frias (Mexico City, Mexico) 509
UV-spectrophotometric determination of beclomethasone dipropionate and phenylethyl alcohol in a nasal spray by inverse least-squares regression
M. Blanco, D. Serrano (Bellaterra, Spain) and J.L. Bernal (Valladolid, Spain) 527
Chemometric method to optimize chiral separation of imidazole derivatives by capillary electrophoresis
Y.C. Guillaume and E. Peyrin (Besançon, France) 533
Halide ion-selective electrode array calibration
M. Baret (Décines Charpieu, France), D.L. Massart (Brussel, Belgium), P. Fabry (Saint Martin d'Hères, France), C. Menardo and F. Conesa (Décines Charpieu, France) 541
Preconcentration of trace nickel with the ion pair of disodium 1-nitroso-2-naphthol-3,6-disulfonate and tetradecyldimethylbenzylammonium chloride on microcrystalline naphthalene or by the column method and determination by third derivative spectrophotometry
M.A. Taher (Kerman, Iran) 559
Reversed phase liquid chromatography with UV absorbance and flame ionization detection using a water mobile phase and a cyano propyl stationary phase: Analysis of alcohols and chlorinated hydrocarbons
W.W.C. Quigley, S.T. Ecker, P.G. Vahey and R.E. Synovec (Seattle, WA, USA) 577
Determination of protein by its enhancement effect on the Rayleigh light scattering of carboxyarsenazo
G. Yao, K.A. Li and S.Y. Tong (Beijing, PR China) 595
Estimation of trace impurities in reactor-grade uranium using ICP-AES
R.K. Malhotra and K. Satyanarayana (Begumpet, India) 601
Differential pulse polarographic determination of trace selenium(IV) and molybdenum(VI) using the catalytic hydrogen wave
R. İnam and G. Somer (Ankara, Turkey) 609
Transversely illuminated liquid core waveguide based fluorescence detection: Fluorometric flow injection determination of aqueous ammonium/ammonia
J. Li, P.K. Dasgupta and Z. Genfa (Lubbock, USA) 617
Adsorption and thermodynamic characteristics of Hg(II)-SCN complex onto polyurethane foam
M. Mufazzal Saeed, S. Moosa Hasany and M. Ahmed (Islamabad, Pakistan) 625

Determination of theophylline in tea and drug formulation using a Nafion®/lead–ruthenium oxide pyrochlore chemically modified electrode
J.-M. Zen, T.-y. Yu and Y. Shih (Taichung, Taiwan, ROC) 635
Spectroscopic and chemical characterizations of molecular size fractionated humic acid
H.-S. Shin, J.M. Monsallier and G.R. Choppin (Tallahassee, FL, USA) 641
Simultaneous determination of Cu, Cd and Pb in drinking-water using W-Coil AAS
A. Salido and B.T. Jones (Winston-Salem, NC, USA) 649
Determination of acetylsalicylic acid by FIA-potentiometric system in drugs after on-line hydrolysis
L.T. Kubota, J.C.B. Fernandes, L. Rover, Jr. (Campinas, Brazil) and G.O. Neto (Bragança Paulista, Brazil) 661
Determination of tungsten in niobium–tantalum, vanadium and molybdenum bearing geological samples using derivative spectrophotometry and ICP-AES
V. Padmasubashini, M.K. Ganguly, K. Satyanarayana and R.K. Malhotra (Hyderabad, India) 669
Flow-injection determination of trace amounts of dopamine by chemiluminescence detection
L. Zhang, N. Teshima, T. Hasebe, M. Kurihara and T. Kawashima (Tsukuba, Japan) 677

Book reviews 685

No. 4 **November 1999**

Preface
Special Issue Methodologies for wastewater quality monitoring
O. Thomas, M.-F. Pouet (d'Alès, France) and P. Quevauviller (Brussels, Belgium) 693

Regular papers
Flow techniques in water analysis
V. Cerdà, J.M. Estela, R. Forteza, A. Cladera (Palma de Mallorca, Spain), E. Becerra (Habana, Cuba), P. Altimira and P. Sitjar (Alella, Spain) 695
Trends in monitoring of waste water systems
A. Lynggaard-Jensen (Aarhus C, Denmark) 707
Compliance assessment for the 91/271/EEC directive and an end-user's view on potentials for further on-line monitoring and control at wastewater treatment plants
B.N. Jacobsen (Hvidovre, Denmark) 717
Methodologies for wastewater quality monitoring, Nîmes, October '98: Cost of ownership of on-line instrumentation
M. Scott (Cambridge, UK) 725
Methodology for the characterisation of heterogeneous fractions in wastewater
S. Vaillant, M.-F. Pouet and O. Thomas (Alès, France) 729
An alternative method for the measurement of mineral sulphide in wastewater
F. Pouly, E. Touraud (Alès, France), J.-F. Buisson (Chateauneuf-les-Martigues, France) and O. Thomas (Alès, France) 737
TOC versus UV spectrophotometry for wastewater quality monitoring
O. Thomas, H. El Khorassani, E. Touraud (Alès, France) and H. Bitar (Marseille, France) 743
Simple UV/UV-visible method for nitrogen and phosphorus measurement in wastewater
B. Roig, C. Gonzalez and O. Thomas (Alès, France) 751
Conclusions of the workshop on methodologies for wastewater quality monitoring
M.-F. Pouet, O. Thomas (Alès, France), B.N. Jacobsen (Hvidovre, Denmark), A. Lynggaard-Jensen (Aarhus, Denmark) and P. Quevauviller (Brussels, Belgium) 759
Methods of analysis of 4-quinolone antibacterials
F. Belal, A.A. Al-Majed and A.M. Al-Obaid (Riyadh, Saudi Arabia) 765

Coulometric determination of NAD^+ and NADH in normal and cancer cells using LDH, RVC and a polymer mediator
F. Torabi, K. Ramanathan, P.-O. Larsson, L. Gorton, K. Svanberg (Lund, Sweden), Y. Okamoto (Brooklyn, NY, USA), B. Danielsson and M. Khayyami (Lund, Sweden) 787
An automatic flow-injection analysis system for determining phosphate ion in river water using pyruvate oxidase G (from *Aerococcus viridans*)
H. Nakamura, H. Tanaka, M. Hasegawa, Y. Masuda, Y. Arikawa, Y. Nomura, K. Ikebukuro and I. Karube (Tokyo, Japan) 799
Complexation and determination of palladium (II) ion with *para*-Cl-phenylazo-R-acid spectrophotometrically
W.G. Hanna (Cairo, Egypt) 809
Spectrophotometric determination of nitrite and nitrate using phosphomolybdenum blue complex
N.A. Zatar, M.A. Abu-Eid and A.F. Eid (Nablus, Israel) 819
Estimation of microscopic, zwitterionic ionization constants, isoelectric point and molecular speciation of organic compounds
S.H. Hilal, S.W. Karickhoff and L.A. Carreira (Athens, USA) 827
Sequential injection spectrophotometric assay of bromazepam complexed with iron(II) in hydrochloric acid with chemometric optimization
S.M. Sultan, Y.A.M. Hassan and K.E.E. Ibrahim (Dhahran, Saudi Arabia) 841
A passive sampler–GC/ECD method for analyzing 18 volatile organohalogen compounds in indoor and outdoor air and its application to a survey on indoor pollution in Shizuoka, Japan
Olansandan, T. Amagai and H. Matsushita (Shizuoka, Japan) 851
Determination of Ag(I), Hg(II) and Pb(II) by using silica gel loaded with dithizone and zinc dithizonate
O. Zaporozhets, N. Petruniock and V. Sukhan (Kyiv, Ukraine) 865
Determination of selenium in nutritional supplements and shampoos by flow injection-hydride generation-atomic fluorescence spectrometry
L. Gámiz-Gracia and M.D. Luque de Castro (Córdoba, Spain) 875
Flow-injection fluorimetric determination of mercury(II) with calcein
A.G. Lista, M.E. Palomeque and B.S. Fernández Band (Bahía Blanca, Argentina) 881
Spectrophotometric determination of ceterizine hydrochloride with Alizarin Red S
K. Basavaiah, SriLatha and J.M. Swamy (Mysore, India) 887
Flow injection kinetic spectrophotometric determination of ascorbic acid based on an inhibiting effect
J. Fan, C. Ye, S. Feng, G. Zhang and J. Wang (Henan, People's Republic of China) 893
Flow injection spectrophotometric determination of reducing sugars using a focalized coiled reactor in a domestic microwave oven
A.F. Oliveira and O. Fatibello-Filho (São Carlos, Brazil) 899
Solid–liquid extraction of copper from slurried samples using high intensity probe sonication for electrothermal atomic absorption spectrometry
J.L. Capelo, A.V. Filgueiras, I. Lavilla and C. Bendicho (Vigo, Spain) 905

Short communication
Rapid test methods for minor components analysis of hydraulic cement. Spectrophotometric determination of manganese oxide content of Portland cement and cement raw meal
K.A. Idriss, H. Sedaira, M.S. Abdel-Aziz and H.M. Ahmad (Assiut, Egypt) 913

No. 5 **December 1999**

Review article
Pushing the detectability of voltammetry: how low can we go?
M.-z. Czae (Seoul, South Korea) and J. Wang (Las Cruces, NM, USA) 921

Regular papers

Determination of calcium, magnesium and strontium in soils by flow injection flame atomic absorption spectrometry
Z. Arslan and J.F. Tyson (Amherst, MA, USA) 929
A study of the effect of proteins and endogenous cations on a lipophilic β-cyclodextrin-based potentiometric lidocaine sensor using discrete solution and flow-injection analysis
R. Kataky (Durham, UK), K. Toth (Budapest, Hungary), S. Palmer (Durham, UK) and Z. Feher (Budapest, Hungary) 939
Determination of manganese in grain by potential titration with catalytic end-point indication
D. Xuezhi, L. Deliang, C. Chunshan and Z. Jingwei (Henan, People's Republic of China) 947
Determination of oxalic acid in urine by co-electroosmotic capillary electrophoresis with amperometric detection
C. Fu, L. Wang (Shandong, People's Republic of China) and Y. Fang (Shanghai, People's Republic of China). 953
Spectrophotometric detection of arsenic using flow-injection hydride generation following sorbent extraction preconcentration
J.A.G. Neto, R. Montes and A.A. Cardoso (Araraquara, Brazil) 959
Determination of cadmium and lead in mussels by tungsten coil electrothermal atomic absorption spectrometry
C.G. Bruhn, N.A. San Francisco, J.Y. Neira (Concepción, Chile) and J.A. Nóbrega (Sao Carlos, Brazil). 967
Anodic stripping voltammetric determination of bismuth(III) using a Tosflex-coated mercury film electrode
H.-Y. Yang, W.-Y. Chen and I.-W. Sun (Tainan, Taiwan, ROC) 977
Surface water preparation procedure for chromatographic determination of polycyclic aromatic hydrocarbons and polychlorinated biphenyls
L. Wolska, K. Galer (Gdańsk, Poland), T. Górecki (Waterloo, Canada) and J. Namieśnik (Gdańsk, Poland) 985
On the acid behaviour of the alcoholic group of serine
E. Bottari, D. Cellulosi and M.R. Festa (Rome, Italy). 993
Spectrophotometric determination of cysteine and/or carbocysteine in a mixture of amino acids, shampoo, and pharmaceutical products using *p*-benzoquinone
D.A.M. Zaia, K.C.L. Ribas and C.T.B.V. Zaia (Londrina, Brazil). 1003
Trace analysis of aluminum in natural waters with rubeanic acid by adsorption chronopotentiometry
S. Bi, X. Wang, L. Ye, N. Gan, G. Zou, H. Liang, L. Dai, M. Cao and Y. Chen (Nanjing, People's Republic of China) 1011
Monitoring fermentation media by ion-chromatography with a double chamber bulk acoustic wave detector
Y.-t. Xie, H.-s. Zeng, S.-z. Yao and W.-z. Wei (Changsha, People's Republic of China) 1019
Micellar effects on the electrochemistry of dopamine and its selective detection in the presence of ascorbic acid
X.-L. Wen, Y.-H. Jia and Z.-L. Liu (Gansu, China) 1027
Slurry sampling graphite furnace atomic absorption spectrometry: determination of trace metals in mineral coal
M.M. Silva, M. Goreti, R. Vale and E.B. Caramão (Porto Alegre, Brazil) 1035
Novel calibration of a dynamic surface tension detector: flow injection analysis of kinetically-hindered surface active analytes
K.E. Miller, K.J. Skogerboe and R.E. Synovec (Seattle, WA, USA). 1045
Differential scanning potentiometry: surface charge development and apparent dissociation constants of natural humic acids
S.B. Ceppi, M.I. Velasco and C.P. De Pauli (Córdoba, Argentina) 1057
Studies on the liquid-liquid extraction of iron(III) and titanium(IV) with 3-phenyl-4-benzoyl-5-isoxazolone
J. Saji, T. Prasada Rao, T.R. Ramamohan and M.L.P. Reddy (Trivandrum, India) 1065
High resolution spectrophotometry for identification of chlorine dioxide in concentrated chlorine solutions
R.D. Gauw, G.L. Emmert, B. Bubnis and G. Gordon (Oxford, OH, USA) 1073

Cathodic and anodic stripping voltammetry: simultaneous determination of As–Se and Cu–Pb–Cd–Zn in the case of very high concentration ratios
C. Locatelli and G. Torsi (Bologna, Italy) 1079
High performance liquid chromatography method for determination of methyl-5-benzoyl-2-benzimidazole carbamate (mebendazole) and its main degradation product in pharmaceutical dosage forms
Z. Al-Kurdi, T. Al-Jallad, A. Badwan (Naor, Jordan) and A.M.Y. Jaber (Dharan, Saudi Arabia) . . 1089
The use of dansyl chloride in the spectrofluorimetric determination of the synthetic antioxidant butylated hydroxyanisole in foodstuffs
C. Cruces-Blanco, A. Segura Carretero, E. Merino Boyle and A. Fernández Gutiérrez (Granada, Spain) 1099
Speciation of arsenic by hydride generation–atomic absorption spectrometry (HG–AAS) in hydrochloric acid reaction medium
A. Shraim, B. Chiswell (St. Lucia, Australia) and H. Olszowy (Coopers Plains, Australia) 1109

Short communications
A method for the determination of potentiometric selectivity coefficients of ion selective electrodes in the presence of several interfering ions
F. Deyhimi (Evin-Tehran, Iran) 1129
pH-Metric method for acid number determination in hydraulic oils without titration
E. Strochkova, Y.I. Tur'yan and I. Kuselman (Jerusalem, Israel) 1135

No. 6 **January 2000**

Determination of bisphenol A (BPA) in the presence of phenol by first-derivative fluorescence following micro liquid–liquid extraction (MLLE)
M. del Olmo, A. Zafra, A.B. Jurado and J.L. Vilchez (Granada, Spain) 1141
Determination of protein–dye association by near infrared fluorescence-detected circular dichroism
F. Meadows (Atlanta, GA, USA), N. Narayanan (Lincoln, NE, USA) and G. Patonay (Atlanta, GA, USA) 1149
Potentiometric determination of hydrogen peroxide at MnO_2-doped carbon paste electrode
X. Zheng and Z. Guo (Xi'an, People's Republic of China) 1151
Simultaneous quantitative analysis of overlapping spectrophotometric signals using wavelet multiresolution analysis and partial least squares
S. Ren and L. Gao (Huhehot, China) 1163
Development of wavelet transform voltammetric analyzer
X. Shao, C. Pang, S. Wu and X. Lin (Anhui, People's Republic of China) 1175
Electrochemistry and electrocatalysis with myoglobin in biomembrane-like surfactant-polymer $2C_{12}N^+PA^-$ composite films
Y. Hu, N. Hu and Y. Zeng (Beijing, PR China) 1183
Simultaneous determination of catecholamines by ion chromatography with direct conductivity detection
C.L. Guan, J. Ouyang, Q.L. Li, B.H. Liu (Beijing, People's Republic of China) and W.R.G. Baeyens (Ghent, Belgium) 1197
Hot-wire amperometric monitoring of flowing streams
J. Wang (Las Cruces, NM, USA), M. Jasinski, G.-U. Flechsig, P. Grundler (Rostock, Germany) and B. Tian (Las Cruces, NM, USA) 1205
Speciation of iron in breast milk and infant formulas whey by size exclusion chromatography-high performance liquid chromatography and electrothermal atomic absorption spectrometry
P. Bermejo, E. Peña, R. Domínguez, A. Bermejo, J.M. Fraga (Galeras, Spain) and J.A. Cocho (Santiago de Compostela, Spain) 1211
Poly(ester sulphonic acid) coated mercury thin film electrodes: characterization and application in batch injection analysis stripping voltammetry of heavy metal ions
C.M.A. Brett and D.A. Fungaro (Coimbra, Portugal) 1223

Liquid chromatographic assessment of total and protein-bound homocysteine in human plasma
E. Bald, E. Kaniowska, G. Chwatko and R. Glowacki (Łódź, Poland) 1233
Gradient flow titration for the determination of fluoride ion in natural waters
A.C. Lopes da Conceição, M.M. Correia dos Santos, M.L.S. Simões Gonçalves and F.J.V. Santos (Lisbon, Portugal) 1245
Copper determination in natural water samples by using FAAS after preconcentration onto amberlite XAD-2 loaded with calmagite
S.L.C. Ferreira, J.R. Ferreira, A.F. Dantas, V.A. Lemos, N.M.L. Araújo and A.C. Spinola Costa (Bahia, Brazil) 1253
Voltammetric determination of 5-hydroxydole-3-acetic acid in human gastric juice
Y. Liu, Y. Jiang, W. Song, N. Lu, M. Zou, H. Xu and Z. Yu (Changchun, People's Republic of China) 1261
A new study of the enzymatic hydrolysis of carboxymethyl cellulose with a bulk acoustic wave sensor
D. He, L. Bao, Y. Long, W. Wei and S. Yao (Changsha, People's Republic of China) 1267
The electrogenerated chemiluminescent behavior of hemin and its catalytic activity for the electrogenerated chemiluminescence of lucigenin
G. Nan Chen, L. Zhang, R. Er Lin, Z. Cong Yang, J. Ping Duan, H. Qing Chen (Fujian, China) and D. Brynn Hibbert (Sydney, Australia) 1275
Determination of surfactant concentration using micellar enhanced fluorescence and flow injection titration
C.A. Lucy and J.S.W. Tsang (Calgary, Canada) 1283
Analysis of explosives using electrospray ionization/ion mobility spectrometry (ESI/IMS)
G. Reid Asbury, J. Klasmeier and H.H. Hill Jr. (Pullman, WA, USA) 1291
$(C_{70})_2$-*p*-tert-butylcalix[6]arene complex films on electrodes catalyze the reduction of nitrite ions
T. Liu, M.-X. Li, N.-Q. Li, Z.-J. Shi, Z.-N. Gu and X.-H. Zhou (Beijing, PR China) 1299
Construction of a compact spectrofluorometer/spectrophotometer system using a flexible liquid core waveguide
R.H. Byrne, W. Yao, E. Kaltenbacher and R.D. Waterbury (St. Petersburg, FL, USA) 1307

Short communication
Study of the parameters affecting the binding of metals in solution by *Chlorella vulgaris*
C.E. López-Suárez, J.M. Castro-Romero, M.V. González-Rodríguez, E. González-Soto, J. Pérez-Iglesias, H.M. Seco-Lago and J.M. Fernández-Solís (Coruña, Spain) 1313

Volume contents 1319
Author index 1329
Subject index 1333